# Synthesis of Novel 6,7,8,9-Tetrahydro-5*H*-5-hydroxyphenyl-2-benzylidine-3-substituted Hydrazino Thiazolo (2,3-*b*) Quinazoline as Potent Antinociceptive and Anti-inflammatory Agents

**T. Panneer Selvam*** **and P. Vijayaraj Kumar†**

*Department of Pharmaceutical Chemistry, D.C.R.M. Pharmacy College, Inkollu-523 167, Andhra Pradesh, India*
**E-mail: tpsphc@gmail.com*
*†Department of Pharmacy, Island College of Technology, Sungai Rusa, 11010 Balik Pulau, Pulau Pinang, Malaysia*
*Received February 16, 2010, Accepted September 15, 2010*





**Figure 3.** 6,7,8,9 tetra hydro-5*H*-5-phenyl thiazolo (2,3-*b*) quinazolin-3(2*H*)-one.





**Figure 4.** 6,7,8,9 tetra hydro-5*H*-5-phenyl-2-benzylidine thiazolo (2,3-b) quinazolin-3(2H)-one.





**Figure 5.** 6,7,8,9 tetra hydro-5*H*-5-phenyl-2-benzylidine-3-hydrazino thiazolo (2,3-b) quinazoline.





**Figure 6b.** 6,7,8,9 tetra hydro-5*H*-5-phenyl-2-benzylidine-3-(*N*'-3-pentylidene-hydrazino) thiazolo (2,3-*b*) quinazoline.





**Figure 3.** 6,7,8,9 tetra hydro-5*H*-5-phenyl thiazolo (2,3-*b*) quinazolin-3(2*H*)-one.





**Figure 4.** 6,7,8,9 tetra hydro-5*H*-5-phenyl-2-benzylidine thiazolo (2,3-*b*) quinazolin-3(2H)-one.





**Figure 5.** 6,7,8,9 tetra hydro-5*H*-5-phenyl-2-benzylidine-3-hydrazino thiazolo (2,3-*b*) quinazoline.





**Figure 6b.** 6,7,8,9 tetra hydro-5*H*-5-phenyl-2-benzylidine-3-(*N*'-3-pentylidene-hydrazino) thiazolo (2,3-*b*) quinazoline.





**Figure 3.** 6,7,8,9 tetra hydro-5*H*-5-phenyl thiazolo (2,3-*b*) quinazolin-3(2*H*)-one.





**Figure 4.** 6,7,8,9 tetra hydro-5*H*-5-phenyl-2-benzylidine thiazolo (2,3-*b*) quinazolin-3(2H)-one.





**Figure 5.** 6,7,8,9 tetra hydro-5*H*-5-phenyl-2-benzylidine-3-hydrazino thiazolo (2,3-*b*) quinazoline.





**Figure 6b.** 6,7,8,9 tetra hydro-5*H*-5-phenyl-2-benzylidine-3-(*N*'-3-pentylidene-hydrazino) thiazolo (2,3-*b*) quinazoline.