

Supplementary Information

Phenolic Compounds from *Arundina graminifolia* and Their Anti-Tobacco Mosaic Virus Activity

Xuemei Gao,^{†,‡} Liying Yang,^{†,‡} Yanqiong Shen,[†] Lidang Shu,[†] Xuemei Li,^{†,‡,*} Qiu-Fen Hu^{†,*}

[†]Key Laboratory of Chemistry in Ethnic Medicinal Resources, State Ethnic Affairs Commission & Ministry of Education, Yunnan University of Nationalities, Kunming 650031, P. R. China


*E-mail: huqiufena@yahoo.com (Q.-F. Hu), xmli@cyats.com (X. Li)


[‡]Key Laboratory of Tobacco Chemistry of Yunnan Province, Yunnan Academy of Tobacco Science, Kunming 650106, P. R. China

Received February 6, 2012, Accepted April 2, 2012

Contents of Supporting Information

No.	Contents:	Pages:
Figure S1-S4	¹³ C NMR, ¹ H NMR, HSQC, spectra of gramniphénol A (1)	3-6
Figure S5- S6	¹³ C NMR, ¹ H NMR, HSQC, spectra of gramniphénol B (2)	7-8

Figure S1. ^{13}C NMR and DEPT of Grammiphenol A (1)






Figure S4. HMBC of Grammiphenol A (1)





Figure S5. ^{13}C NMR and DEPT of Gramniphinol B (2)

Figure S6. ^1H NMR of Grammiphenol B (2)