Suplementary Materials


Cytotoxic Isoflavanones from *Uraria clarkei*

Xiang-Zhong Huang, Xi-Shan Bai, Hui Liang, Chao Wang, Wen-Juan Li, Jun-Ming Guo, and Zhi-Yong Jiang*


*Key Laboratory of Chemistry in Ethnic Medicinal Resources, State Ethnic Affairs Commission & Ministry of Education, School of Chemistry and Biotechnology, Yunnan University of Nationalities, Jingming South Road, Chenggong New District, Kunming, Yunnan 650500, P.R. China. *E-mail: jiangzy2010@163.com*

Received January 3, 2013, Accepted February 11, 2013


1. The NMR data of compound 1 (^{1}H, ^{13}C, HSQC, HMBC, COSY, ROESY)




^{1}HNMR Spectrum of Compound 1





^{13}CNMR and DEPT Spectrum of Compound 1





MS Spectrum of Compound 1



ppm
3.0
3.5
4.0
4.5
5.0
5.5
6.0
6.5
7.0
7.5
7.0
6.5
6.0
5.5
5.0
4.5
4.0
3.5
3.0
2.5
ppm



ppm
40
50
60
70
80
90
100
110
120
6.5
6.0
5.5
5.0
4.5
4.0
3.5
ppm



ppm
95
100
105
110
115
120
6.5
6.4
6.3
6.2
6.1
6.0
5.9
5.8
5.7
5.6
ppm


ppm
45
50
55
60
65
70
4.3
4.2
4.1
4.0
3.9
3.8
3.7
3.6
3.5
3.4
3.3
3.2
3.1
ppm



ppm
40
60
80
100
120
140
160
180
200
7.0
6.5
6.0
5.5
5.0
4.5
4.0
3.5
3.0
2.5
ppm



ppm
90
100
110
120
130
140
150
160
170
6.6
6.5
6.4
6.3
6.2
6.1
6.0
5.9
5.8
5.7
5.6
5.5
5.4
ppm



ppm
45
50
55
60
65
70
75
80
85
4.5 4.4 4.3 4.2 4.1 4.0 3.9 3.8 3.7 3.6 3.5 3.4 3.3 3.2 3.1 3.0 2.9 ppm



ppm
120
130
140
150
160
170
180
190
200
4.7 4.6 4.5 4.4 4.3 4.2 4.1 4.0 3.9 3.8 3.7 3.6 3.5 3.4 3.3 ppm


2. The NMR data of compound 2 (^{1}H, ^{13}C, HSQC, HMBC, COSY, ROESY)






197.04
166.42
161.51
160.93
158.11
154.25
132.25
131.76
127.64
122.83
122.08
113.74
110.26
101.56
100.95
90.83
77.35
77.04
76.72
69.54
55.92
55.45
44.99
27.99
25.79
25.76
21.00
17.77
17.72
190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 ppm



ppm
0
20
40
60
80
100
120
140
160
180
12 11 10 9 8 7 6 5 4 3 2 1 0 ppm



ppm
0
10
20
30
40
50
60
70
80
90
100
110
120
130
140
7.5 7.0 6.5 6.0 5.5 5.0 4.5 4.0 3.5 3.0 2.5 2.0 1.5 1.0 0.5 0.0 ppm



ppm
0
20
40
60
80
100
120
140
160
180
200
12 11 10 9 8 7 6 5 4 3 2 1 0 ppm



ppm
15
20
25
30
35
40
45
50
55
60
65
70
75
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
ppm



ppm
110
120
130
140
150
160
170
180
190
200
5.5
5.0
4.5
4.0
3.5
3.0
2.5
2.0
1.5
ppm



ppm
90
100
110
120
130
140
150
160
8.0
7.8
7.6
7.4
7.2
7.0
6.8
6.6
6.4
6.2
6.0
5.8
ppm



ppm
20
25
30
35
40
45
50
7.3
7.2
7.1
7.0
6.9
6.8
6.7
6.6
6.5
6.4
6.3
6.2
6.1
6.0
ppm



ppm
100
110
120
130
140
150
160
170
180
190
200
12.1
12.0
11.9
11.8
11.7
11.6
11.5
11.4
11.3
11.2
ppm


ppm
0
1
2
3
4
5
6
7
8
9
10
11
12
12
11
10
9
8
7
6
5
4
3
2
1
0
ppm


ppm
3.0
3.5
4.0
4.5
5.0
5.5
5.4 5.2 5.0 4.8 4.6 4.4 4.2 4.0 3.8 3.6 3.4 3.2 3.0
ppm


ppm
0
1
2
3
4
5
6
7
8
9
8.0 7.5 7.0 6.5 6.0 5.5 5.0 4.5 4.0 3.5 3.0 2.5 2.0 1.5 1.0 0.5 0.0
ppm


ppm
6.0
6.5
7.0
7.5
8.0
8.5
9.0
8.0 7.5 7.0 6.5 6.0 5.5 5.0 4.5 4.0 3.5
ppm


ppm
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
4.5
5.0
5.5
5.5 5.0 4.5 4.0 3.5 3.0 2.5 2.0 1.5 1.0 0.5 0.0
ppm